

VERÖFFENTLICHUNGEN 2016**Abteilung Pflanzenzüchtung, Göttingen**

Ali, M.B.M, G.C. Welna, A. Sallam, R. Martsch, C. Balko, B. Gebser, O. Sass, and W. Link, 2016: Association analyses to genetically improve drought and freezing tolerance of faba bean (*Vicia faba* L.). *Crop Science* 56: 1036-1048

Aqtbouz, N., L. Ghaouti, L. Belqadi, and W. Link, 2016: Analyse de la tolérance des populations locales de fève (*Vicia faba* L.) à la sécheresse au stade juvénile. *Rev. Mar. Sci. Agron. Vét.* 4:51-65 51.

De Maria S., R. Agneta, F. Lelario, C. Möllers, and A.R. Rivelli, 2016: Influence of nitrogen and sulfur fertilization on glucosinolate content and composition of horseradish plants harvested at different developmental stages. *Acta Physiol Plant* 38:91.
DOI 10.1007/s11738-016-2110-1

Dietrich, N., M.N. Strathausen-Bui, B. Horneburg, and T.F. Döring, 2016: Wirkung abgestufter Kalkdüngung auf Wachstum und Entwicklung von Ackerbohnen, Linsen, Erbsen und Sojabohnen. *Mitt. Ges. Pflanzenbauwiss.* 28:212–213.

Hohmann M., A. Stahl., J. Rudloff, B. Wittkop, and R. Snowdon R. 2016: Not a load of rubbish: simulated field trials in large-scale containers. *Plant, Cell & Environment* 39: 2064–2073.

Kampouridis A., K. Ziese-Kubon, Nurhasanah, and W. Ecke, 2016: Identification and evaluation of intervarietal substitution lines of rapeseed (*Brassica napus* L.) with donor segments affecting the diploidization rate of isolated microspores. *Euphytica* 209: 181-198.

Kampouridis, A., K. Ziese-Kubon, Nurhasanah, and W. Ecke, 2016: Identification and evaluation of intervarietal substitution lines of rapeseed (*Brassica napus* L.) with donor segments affecting the direct embryo to plant conversion rate of microspore-derived embryos. *Euphytica*, online first. DOI 10.1007/s10681-016-1732-0

Miersch, S., A. Gertz, F. Breuer, A. Schierholt, and H. Becker, 2016: Influence of the semi-dwarf growth type on seed yield and agronomic parameters at low and high nitrogen fertilization in winter oilseed rape. *Crop Science* 56:1-3.

Miersch, S., A. Gertz, F. Breuer, A. Schierholt, and H. Becker. 2016: Influence of the semi-dwarf growth type on nitrogen use efficiency in winter oilseed rape.
DOI 10.2135/cropsci2016.01.0044

Rivelli A.R., R. Agneta, C. Möllers, and S. De Maria, 2016: Evaluating strategies to improve glucosinolate concentration and root yield of field-grown horseradish in a Mediterranean environment: preliminary results. *Italian Journal of Agronomy* 11:712.
Doi:10.4081/ija.2016.712

Rivelli, A.R., F. Lelario, R. Agneta, C. Möllers, and S. De Maria, 2016: Variation of glucosinolates concentration and root growth of horseradish as affected by nitrogen and sulphur supply. *Plant Soil Environ* 62:307–313

Ruland, M., H.C. Becker, and B. Horneburg 2016: Temporal and regional development of lentil populations by natural selection on-farm. In: Second International Legume Society Conference, 11.-14.10.2016, Tróia, Portugal. Book of Abstracts, p.106.
http://www.itqb.unl.pt/meetings-and-courses/legumes-for-a-sustainable-world/book-of-abstracts/at_download/file

Sallam, A., M. Arbaoui, M. El-Esawi, N. Abshire and R. Martsch, 2016: Identification and verification of QTL associated with frost tolerance using linkage mapping and GWAS in winter faba bean. *Frontiers in Plant Science* 7, 1096. DOI: 10.3389/fpls.2016.01098

Sallam, A., and R. Martsch, 2016: Validation of RAPD markers associated with frost tolerance in winter faba bean (*Vicia faba* L.). *Turkish Journal of Botany* 40: 488-495.

Schaefer-Koesterke, H., H. Brandes, B. Ulber, H. Becker, and S. Vidal, 2016: The potential of resynthesized lines to provide resistance traits against rape stem weevil in oilseed rape. *J. Pest Science*, DOI 10.1007/s10340-016-0742-y

Monographien

Brandes, Haiko 2016. Variation und Vererbung von Glucosinolatgehalt und muster in Grünmasse und Samen von Raps (*Brassica napus* L.) und deren Zusammenhang zum Befall mit Rapsstängelschädlingen. Dissertation Georg-August-Universität Göttingen.
<http://hdl.handle.net/11858/00-1735-0000-0028-8690-5>

Hoppe, Christopher, 2016. Entwicklung von Energiemaissorten für die Mischkultur mit Stangenbohnen. Dissertation Georg-August-Universität Göttingen.
<http://hdl.handle.net/11858/00-1735-0000-0028-87D0-F>

Liu, Siyang 2016. Application of molecular markers in selected breeding material and plant genetic resources of *Lolium perenne* L. Dissertation Georg-August-Universität Göttingen.
<http://hdl.handle.net/11858/00-1735-0000-0028-8681-7>

Rudloff, Julia Anna Erika Ruth, 2016. Nitrogen Efficiency of winter oilseed rape and its prediction by hyperspectral canopy reflectance and electrical capacitance. Dissertation Georg-August-Universität Göttingen. <http://hdl.handle.net/11858/00-1735-0000-0028-87A1-8>

Ghanbari, Mohammad, 2016. Inheritance and genetic variation of shoot elongation before winter in oilseed rape (*Brassica napus* L.). Dissertation Georg-August-Universität Göttingen. <http://hdl.handle.net/11858/00-1735-0000-0028-87FE-B>.